

space·pro^o
HARDWARE

DELUXE SHAKER Door Hardware






Spacepro are proud to present our new aluminium Deluxe Shaker door system.


Suitable in both contemporary and traditional homes, the Deluxe Shaker is an extremely versatile look. With this top of the range system you can transform your space through room dividers, stunning wardrobe doors or by creating a breathtaking walk in wardrobe. 4mm glass or 18mm Panel can be used in the construction.

Key features:

- When constructed with an 18mm panel, the Deluxe Shaker can be used as a double sided door
- Available in Satin Silver, Cashmere and Stone Grey frames
- Precision bearing bottom wheels
- Twin hidden track cleaning wheel increases the durability of the product

Door suggestions...






Door Components

Stiles


Cashmere 3460E-2500-NK
Satin Silver 3460E-2500-SS
Stone Grey 3460E-2500-YS



Width
70mm
Depth
38mm

Rails


Cashmere 3461C-2500-NK
Satin Silver 3461C-2500-SS
Stone Grey 3461C-2500-YS



Height
23mm

H-Section

Cashmere 3462C-2500-NK
Satin Silver 3462C-2700-SS
Stone Grey 3462C-2700-YS



Height
38mm


Running Gear

Top Wheel
LH Side 00-3509B-LH
RH Side 00-3509B-RH



Top Tracks

Double Channel
Cashmere 3352C-5000-NK
Satin Silver 3352C-5000-SS
Stone Grey 3352C-5000-YS



Height
48mm
Depth
93mm

Soft Close

25kg BP-197-515-102
50kg BP-197-500-100




Track Cleaning Bottom Wheel
00-3548



Bottom Tracks

Double Channel
Cashmere 3355C-5000-NK
Satin Silver 3355C-5000-SS
Stone Grey 3355C-5000-YS




Height
8mm
Depth
125mm

DELUXE SHAKER

Door Installation


Top tracks are also compatible with single sided soft close.

Bottom Guide/Wheel



(Example stile shown)

Top Track



(Above image is shown from the back of the door)

Door Installation Order



Technical Information

Calculating doors and overlap widths.

Sliding Door Overlap	70mm
Door Height	Opening height minus 57mm (track & wheel allowance)
Door Width (for sliding doors)	$\frac{\text{Opening width} + (\text{Number of overlaps} \times \text{Overlap length})}{\text{Number of doors}}$
Stile Length	Equivalent to door height
Rails Length	Door width minus 136mm
H-section length	Door width minus 136mm
Panel Height (1 Panel – All)	Door height minus 118mm
Panel Height (1 Panel – Glass)	Door height minus 97mm
Panel Height (Multi Panel)	Wood – 1 panel height minus 46mm for each break then divided by the number of panels Glass – Wood panel height plus 24mm
Panel Width	Finished door width minus 118mm (wood) Finished door width minus 90mm (glass)

Door configurator can be provided on request.

Additional Items

Stile Buffer cover - Plain
unbranded grey
3763-GY

Self tap. cap screw
14g x 1.3/4 A2
3821-045-001

Stile Buffer cover -
unbranded titanium
3763-TI

Visit spaceprohardware.com
for more information

DELUXE SHAKER




Finishes available to Shaker Doors

NC Cashmere

SG Stone Grey

SC Silver


*Standard RAL colours available
subject to minimum order.



NC



SG



SC

space·pro^o
HARDWARE

CLEVER STORAGE...
FOR ANY ROOM,
IN ANY HOME

DELUXE SHAKER

Door Hardware

spaceprohardware.com

Home Decor GB Ltd
Innovation Way, Woodhouse Mill, Sheffield, S13 9AD. UK
+44 (0) 114 293 3000